

List of *confirmed* EDEN publications



November 29, 2009

Papers

- [1] Alcaide, M., Rico, C., Ruiz, S., Soriguer, R., Muñoz, J., Figuerola, J.: Disentangling vector-borne transmission networks: a universal DNA barcoding method to identify vertebrate hosts from arthropod bloodmeals. *PLoS ONE* **4**(9), e7092 (2009). DOI 10.1371/journal.pone.0007092
- [2] Atkinson, P.M., Graham, A.J.: Issues of scale and uncertainty in the global remote sensing of disease. *Advances in Parasitology* **62**, 79–118 (2006). DOI 10.1016/S0065-308X(05)62003-9
- [3] Balança, G., Gaidet, N., Savini, G., Vollot, B., Foucart, A., Reiter, P., Boutonnier, A., Lelli, R., Monicat, F.: Low West Nile virus circulation in wild birds in an area of recurring outbreaks in southern France. *Vector Borne and Zoonotic Diseases* **April 2009**, Ahead of print (2009). DOI 10.1089/vbz.2008.0147
- [4] Barandika, J.F., Hurtado, A., García-Sanmartín, J., Juste, R.A., Anda, P., García-Pérez, A.L.: Prevalence of tick-borne zoonotic bacteria in questing adult ticks from northern Spain. *Vector Borne and Zoonotic Diseases* **8**(6), 829–836 (2008). DOI 10.1089/vbz.2008.0023
- [5] Bryja, J., Charbonnel, N., Berthier, K., Galan, M., Cosson, J.F.: Density-related changes in selection pattern for major histocompatibility complex genes in fluctuating populations of voles. *Molecular Ecology* **16**(23), 5084–5097 (2007). DOI 10.1111/j.1365-294X.2007.03584.x
- [6] Bryja, J., Galan, M., Charbonnel, N., Cosson, J.F.: Duplication, balancing selection and trans-species evolution explain the high levels of polymorphism of the DQA MHC class II gene in voles (Arvicolinae). *Immunogenetics* **58**(2-3), 191–202 (2006). DOI 10.1007/s00251-006-0085-6
- [7] Capinha, C., Gomes, E., Reis, E., Rocha, J., Sousa, C., do Rosário, V., Almeida, A.: Present habitat suitability for *Anopheles atroparvus* (Diptera, Culicidae) and its coincidence with former malaria areas in mainland Portugal. *Geospatial Health* **3**(2), 177–187 (2009)
- [8] Carpi, G., Bertolotti, L., Pecchioli, E., Cagnacci, F., Rizzoli, A.: *Anaplasma phagocytophilum* groEL gene heterogeneity in *Ixodes ricinus* larvae feeding on roe deer in northeastern Italy. *Vector Borne and Zoonotic Diseases* **9**(2), 179–184 (2009). DOI 10.1089/vbz.2008.0068
- [9] Carpi, G., Bertolotti, L., Rosati, S., Rizzoli, A.: Prevalence and genetic variability of tick-borne encephalitis virus in host-seeking *Ixodes ricinus* in northern Italy. *Journal of General Virology* **0**, vir.0.013,367–0 (2009). DOI 10.1099/vir.0.013367-0

List of confirmed EDEN publications

- [10] Carpi, G., Cagnacci, F., Neteler, M., Rizzoli, A.: Tick infestation on roe deer in relation to geographic and remotely sensed climatic variables in a tick-borne encephalitis endemic area. *Epidemiology and Infection* **136**, 1416–1424 (2007). DOI 10.1017/S0950268807000039
- [11] Charbonnel, N., Chaval, Y., Berthier, K., Deter, J., Morand, S., Palme, R., Cosson, J.: Stress and demographic decline: a potential effect mediated by impairment of reproduction and immune function in cyclic vole populations. *Physiological and Biochemical Zoology* **81**(1), 63–73 (2008). DOI 10.1086/523306
- [12] Charbonnel, N., Deter, J., Chaval, Y., Laakkonen, J., Henttonen, H., Voutilainen, L., Vapalahti, O., Vaheri, A., Morand, S., Cosson, J.F.: Serological evidence of viruses naturally associated with the Montane Water Vole (*Arvicola scherman*) in Eastern France. *Vector Borne and Zoonotic Diseases* **8**(6), 763–768 (2008). DOI 10.1089/vbz.2007.0167
- [13] Chevalier, V., Reynaud, P., Lefrançois, T., Durand, B., Baillon, F., Balança, G., Gaidet, N., Mondet, B., Lancelot, R.: Predicting West Nile virus seroprevalence in wild birds in Senegal. *Vector Borne and Zoonotic Diseases* **March 2009**, Ahead of print (2009). DOI 10.1089/vbz.2008.0130
- [14] Chevalier, V., Thiongane, Y., Lancelot, R.: Endemic transmission of Rift Valley fever in Senegal. *Transboundary Emerging Disease* **Ahead of print**, 1–3 (2009). DOI 10.1111/j.1865-1682.2009.01083.x
- [15] Davis, S., Calvet, E., Leirs, H.: Fluctuating rodent populations and risk to humans from rodent-borne zoonoses. *Vector Borne and Zoonotic Diseases* **5**(4), 305–314 (2005). DOI 10.1089/vbz.2005.5.305
- [16] De La Rocque, S., Tran, A., Etter, E., Vial, L., Hendrickx, G.: Environmental changes, disease ecology and geographic information system-based tools for risk assessment. *Veterinaria Italiana* **43**(3), 381–391 (2007)
- [17] Deffontaine, V., Ledevin, R., Fontaine, M.C., Quéré, J.P., Renaud, S., Libois, R., Michaux, J.R.: A relict bank vole lineage highlights the biogeographic history of the Pyrenean region in Europe. *Molecular Ecology* **18**(11), 2489–2502 (2009). DOI 10.1111/j.1365-294X.2009.04162.x
- [18] Dereure, J., Vanwambeke, S.O., Malé, P., Martinez, S., Pratlong, F., Balard, Y., Dedet, J.P.: The potential effects of global warming on changes in canine leishmaniasis in a focus outside the classical area of the disease in southern France. *Vector Borne and Zoonotic Diseases* **March 2009**, Ahead of print (2009). DOI 10.1089/vbz.2008.0126

List of confirmed EDEN publications

- [19] Deter, J., Bryja, J., Chaval, Y., Galan, M., Henttonen, H., Laakkonen, J., Voutilainen, L., Vapalahti, O., Vaheri, A., Salvador, A., Morand, S., Cosson, J., Charbonnel, N.: Association between the DQA MHC class II gene and Puumala virus infection in *Myodes glareolus*, the bank vole. *Infection, Genetics and Evolution* **8**, 450–458 (2008). DOI 10.1016/j.meegid.2007.07.003
- [20] Deter, J., Chaval, Y., Galan, M., Gauffre, B., Morand, S., Henttonen, H., Laakkonen, J., Voutilainen, L., Charbonnel, N., Cosson, J.F.: Kinship, dispersal and *Hantavirus* transmission in bank and common voles. *Archives of Virology* **153**(3), 435–444 (2008). DOI 10.1007/s00705-007-0005-6
- [21] Di Luca, M., Boccolini, D., Severini, F., Toma, L., Barbieri, F.M., Massa, A., Romi, R.: A 2-year entomological study of potential malaria vectors in Central Italy. *Vector-Borne and Zoonotic Diseases* **0**(0), 10 p. (2009). DOI 10.1089/vbz.2008.0129. PMID: 19485768
- [22] Faraj, C., Adlaoui, E., Brengues, C., Fontenille, D., Lyagoubi, M.: Résistance d'*Anopheles labranchiae* au DDT au Maroc : identification des mécanismes et choix d'un insecticide de remplacement. *La Revue de Santé de la Méditerranée orientale* **14**(4), 776–783 (2008)
- [23] Faraj, C., Adlaoui, E., Ouahabi, S., Lakraa, E., Elkohli, M., Aouad, R.E.: Extension vers le nord du Maroc de l'aire de distribution de *Anopheles (Celia) d'thali* Patton, 1905. *Bulletin de la Société de Pathologie Exotique* **101**(1), 62–64 (2008)
- [24] Faraj, C., Adlaoui, E., Ouahabi, S., Rhajaoui, M., Fontenille, D., Lyagoubi, M.: Entomological investigations in the region of the last malaria focus in Morocco. *Acta Tropica* **109**, 70–73 (2008). DOI 10.1016/j.actatropica.2008.09.021
- [25] Faraj, C., Ouahabi, S., Adlaoui, E., Boccolini, D., Romi, R., El Aouad, R.: Risque de réémergence du paludisme au Maroc. Etude de la capacité vectorielle d'*Anopheles labranchiae* dans une zone rizicole au Nord du pays. *Parasite* **15**, 605–610 (2008)
- [26] Fichet-Calvet, E., Rogers, D.J.: Risk maps of Lassa fever in West Africa. *PLoS Neglected Tropical Diseases* **3**(3), e388 (2009). DOI 10.1371/journal.pntd.0000388
- [27] Figuerola, J., Baouab, R.E., Soriguer, R., Fassi-Fihri, O., Llorente, F., JÃmenez-Clavero, M.A.: West Nile virus antibodies in wild birds, Morocco, 2008. *Emerging Infectious Diseases* **15**(10), 1651–1653 (2009). DOI 10.3201/eid1510.090340

List of confirmed EDEN publications

- [28] Figuerola, J., Jiménez-Clavero, M.A., López, G., Rubio, C., Soriguer, R., Gómez-Tejedor, C., Tenorio, A.: Size matters: West Nile virus neutralizing antibodies in resident and migratory birds in Spain. *Veterinary Microbiology* **132**(1-2), 39–46 (2008). DOI 10.1016/j.vetmic.2008.04.023
- [29] Figuerola, J., Soriguer, R., Rojo, G., Tejedor, C., Jimenez-Clavero, M.: Seroreconversion in wild birds and local circulation of West Nile virus, Spain. *Emerging Infectious Diseases* **13**(12), 1915–1917 (2007)
- [30] Golovljova, I., Katargina, O., Geller, J., Tallo, T., Mittženkov, V., Vene, S., Nemirov, K., Kutsenko, A., Kilosanidze, G., Vasilenko, V., Plyusnin, A., Lundkvist, A.: Unique signature amino acid substitution in Baltic tick-borne encephalitis virus (TBEV) strains within the Siberian TBEV subtype. *International Journal of Medical Microbiology* **298**(Supplement 1), 108–120 (2008). DOI 10.1016/j.ijmm.2007.12.004
- [31] Halouzka, J., Juřicová, Z., Janková, J., Hubálek, Z.: Serologic survey of wild boars for mosquito-borne viruses in South Moravia (Czech Republic). *Veterinarni Medicina* **53**(5), 266–271 (2008)
- [32] Hammadi, D., Boubidi, S., Chaib, S., Saber, A., Khechache, Y., Gasmi, M., Harrat, Z.: Le paludisme au Sahara algérien. *Bulletin de la Société de Pathologie Exotique* **102**(3), 185–192 (2009). DOI 10.3185/pathexo3356
- [33] Hardestam, J., Karlsson, M., Falk, K.I., Olsson, G., Klingström, J., Lundkvist, A.: Puumala hantavirus excretion kinetics in bank voles (*Myodes glareolus*). *Emerging Infectious Diseases* **14**(8), 1209–1215 (2008). DOI 10.3201/eid1408.080221
- [34] Hardestam, J., Lundkvist, Å., Klingström, J.: Sensitivity of *Andes Hantavirus* to antiviral effect of human saliva. *Emerging Infectious Diseases* **15**(7), 1140–1143 (2009). DOI 10.3201/eid1507.090097
- [35] Hardestam, J., Petterson, L., Ahlm, C., Evander, M., Lundkvist, A., Klingström, J.: Antiviral effect of human saliva against *Hantavirus*. *Journal of Medical Virology* **80**(12), 2122–2126 (2008). DOI 10.1002/jmv.21332
- [36] Hardestam, J., Simon, M., Hedlund, K.O., Vaheri, A., Klingström, J., Lundkvist, A.: *Ex vivo* stability of the rodent-borne Hantaan virus in comparison to that of arthropod-borne members of the Bunyaviridae family. *Applied and Environmental Microbiology* **73**(8), 2547–2551 (2007). DOI 10.1128/AEM.02869-06
- [37] Hartemink, N.A., Davis, S.A., Reiter, P., Hubálek, Z., Heesterbeek, J.A.: Importance of bird-to-bird transmission for the establishment of West Nile

- virus. *Vector Borne and Zoonotic Diseases* **7**(4), 575–584 (2007). DOI 10.1089/vbz.2006.0613
- [38] Hartemink, N.A., Randolph, S.E., Davis, S.A., Heesterbeek, J.A.P.: The basic reproduction number for complex disease systems: defining R_0 for tick-borne infections. *The American Naturalist* **171**(6), 743–754 (2008). DOI 10.1086/587530
- [39] Hartemink, N., Purse, B., Meiswinkel, R., Brown, H., de Koeijer, A., Elbers, A., Boender, G.J., Rogers, D., Heesterbeek, J.: Mapping the basic reproduction number (R_0) for vector-borne diseases: A case study on bluetongue virus. *Epidemics* **1**(3), 153–161 (2009). DOI 10.1016/j.epidem.2009.05.004
- [40] Hay, S.I., Tatem, A.J., Graham, A.J., Goetz, S.J., Rogers, D.J.: Global environmental data for mapping infectious disease distribution. *Advances in Parasitology* **62**, 37–77 (2006). DOI 10.1016/S0065-308X(05)62002-7
- [41] Heyman, P., Vaheri, A.: Situation of *Hantavirus* infections and haemorrhagic fever with renal syndrome in European countries as of December 2006. *Eurosurveillance* **13**(7-9), 1–7 (2008)
- [42] Hubálek, Z., Halouzka, J., Juricová, Z., Sikutová, S., Rudolf, I.: Effect of forest clearing on the abundance of *Ixodes ricinus* ticks and the prevalence of *Borrelia burgdorferi* s.l. *Medical and Veterinary Entomology* **20**(2), 166–172 (2006). DOI 10.1111/j.1365-2915.2006.00615.x
- [43] Hubálek, Z., Halouzka, J., Juricová, Z., Sikutová, S., Rudolf, I., Honza, M., Janková, J., Chytil, J., Marec, F., Sitko, J.: Serologic survey of birds for West Nile *Flavivirus* in southern Moravia (Czech Republic). *Vector Borne and Zoonotic Diseases* **8**(5), 659–666 (2008). DOI 10.1089/vbz.2007.0283
- [44] Hubálek, Z., Lukáčová, L., Halouzka, J., Sirček, P., Januska, J., Precechtelová, J., Procházka, P.: Import of West Nile virus infection in the Czech Republic. *European Journal of Epidemiology* **21**(4), 323–324 (2006). DOI 10.1007/s10654-006-0019-5
- [45] Hubálek, Z., Wegner, E., Halouzka, J., Tryjanowski, P., Jerzak, L., Sikutová, S., Rudolf, I., Kruszczyk, A.G., Jaworski, Z., Włodarczyk, R.: Serologic survey of potential vertebrate hosts for West Nile virus in Poland. *Viral Immunology* **21**(2), 247–253 (2008). DOI 10.1089/vim.2007.0111
- [46] Jarošová, V., Rudolf, I., Halouzka, J., Hubálek, Z.: [*Borrelia burgdorferi* sl in ixodid ticks from Ostrava slag heaps]. *Epidemiologie, mikrobiologie, imunologie* **58**(2), 90–97 (2009)

- [47] Johansson, P., Olsson, G.E., Low, H.T., Bucht, G., Ahlm, C., Juto, P., Elgh, F.: Puumala *Hantavirus* genetic variability in an endemic region (Northern Sweden). *Infection, Genetics and Evolution* **8**(3), 286–296 (2008). DOI 10.1016/j.meegid.2008.01.003
- [48] Juricová, Z., Hubálek, Z.: Serologic survey of the wild boar (*Sus scrofa*) for *Borrelia burgdorferi sensu lato*. *Vector-Borne and Zoonotic Diseases* **9**, 479–482 (2009). DOI 10.1089/vbz.2008.0125
- [49] Kallio, E.R., Begon, M., Henttonen, H., Koskela, E., Mappes, T., Vaheri, A., Vapalahti, O.: Cyclic *Hantavirus* epidemics in humans – Predicted by rodent host dynamics. *Epidemics* **1**(2), 101–107 (2009). DOI 10.1016/j.epidem.2009.03.002
- [50] Kallio, E.R., Klingström, J., Gustafsson, E., Manni, T., Vaheri, A., Henttonen, H., Vapalahti, O., Lundkvist, A.: Prolonged survival of Puumala *Hantavirus* outside the host: evidence for indirect transmission via the environment. *Journal of General Virology* **87**, 2127–2134 (2006). DOI 10.1099/vir.0.81643-0
- [51] Kallio, E.R., Poikonen, A., Vaheri, A., Vapalahti, O., Henttonen, H., Koskela, E., Mappes, T.: Maternal antibodies postpone *Hantavirus* infection and enhance individual breeding success. *Proceedings of the Royal Society B* **273**(1602), 2771–2776 (2006). DOI 10.1098/rspb.2006.3645
- [52] Kallio, E.R., Voutilainen, L., Vapalahti, O., Vaheri, A., Henttonen, H., Koskela, E., Mappes, T.: Endemic *Hantavirus* infection impairs the winter survival of its rodent host. *Ecology* **88**(8), 1911–1916 (2007). DOI 10.1890/06-1620.1
- [53] Kallio-Kokko, H., Laakkonen, J., Rizzoli, A., Tagliapietra, V., Cattadori, I., Perkin, S., Hudson, P., Cristofolini, A., Versini, W., Vapalahti, O., Vaheri, A., Henttonen, H.: *Hantavirus* and *Arenavirus* antibody prevalence in rodents and humans in Trentino, Northern Italy. *Epidemiology and Infection* **134**(4), 830–836 (2006). DOI 10.1017/S0950268805005431
- [54] Kinnunen, P., Billich, C., Ek-Kommonen, C., Henttonen, H., Kallio, R.K.E., Niemimaa, J., Palva, A., Staeheli, P., Vaheri, A., Vapalahti, O.: Serological evidence for Bornavirus infection in humans, wild rodents and other vertebrates in Finland. *Journal of Clinical Virology* **38**(1), 64–69 (2007). DOI 10.1016/j.jcv.2006.10.003
- [55] Klingström, J., Akerström, S., Hardestam, J., Stoltz, M., Simon, M., Falk, K.I., Mirazimi, A., Rottenberg, M., Lundkvist, A.: Nitric oxide and peroxynitrite have different antiviral effects against *Hantavirus* replication and free

- mature virions. *European Journal of Immunology* **36**(10), 2649–2657 (2006). DOI 10.1002/eji.200535587
- [56] Klingström, J., Hardestam, J., Lundkvist, A.: Dobrava, but not Saaremaa, *Hantavirus* is lethal and induces nitric oxide production in suckling mice. *Microbes and Infection* **8**(3), 728–737 (2006). DOI 10.1016/j.micinf.2005.09.010
- [57] Klingström, J., Hardestam, J., Stoltz, M., Zuber, B., Lundkvist, Å., Linder, S., Ahlm, C.: Loss of cell membrane integrity in puumala *Hantavirus*-infected patients correlates with levels of epithelial cell apoptosis and perforin. *Journal of Virology* **80**(16), 8279–8282 (2006). DOI 10.1128/JVI.00742-06
- [58] Knap, N., Durmisi, E., Saksida, A., Korva, M., Petrovec, M., Avsic-Zupanc, T.: Influence of climatic factors on dynamics of questing *Ixodes ricinus* ticks in Slovenia. *Veterinary Parasitology* **164**(2-4), 275 – 281 (2009). DOI 10.1016/j.vetpar.2009.06.001
- [59] Korva, M., Duh, D., Puterle, A., Trilar, T., Zupanc, T.A.: First molecular evidence of Tula *Hantavirus* in *Microtus voles* in Slovenia. *Virus Research* **144**(1-2), 318 – 322 (2009). DOI 10.1016/j.virusres.2009.04.021
- [60] Korva, M., Duh, D., Saksida, A., Trilar, T., Avšič-Županc, T.: The hantaviral load in tissues of naturally infected rodents. *Microbes and Infection* **11**(3), 344 – 351 (2009). DOI 10.1016/j.micinf.2008.12.016
- [61] López, G., Jiménez-Clavero, M.A., Tejedor, C.G., Soriguer, R., Figuerola, J.: Prevalence of West Nile virus neutralizing antibodies in Spain is related to the behavior of migratory birds. *Vector Borne and Zoonotic Diseases* **8**(5), 615–621 (2008). DOI 10.1089/vbz.2007.0200
- [62] de La Rocque, S., Rioux, J.A., Slingenbergh, J.: Climate change: effects on animal disease systems and implication for surveillance and control. *Revue scientifique et technique de l’Office international des Epizooties* **27**(2), 339–354 (2008)
- [63] Laakkonen, J., Kallio, E., Kallio-Kokko, H., Vapalahti, O., Vaheri, A., Henttonen, H.: Is there an association of *Pneumocystis* infection with the presence of arena-, hanta-, and poxvirus antibodies in wild mice and shrews in Finland? *Parasitology* **132**(4), 461–466 (2006). DOI 10.1017/S0031182005009315
- [64] Laakkonen, J., Kallio-Kokko, H., Oktem, M.A., Blasdell, K., Plyusnina, A., Niemimaa, J., Karataç, A., Plyusnin, A., Vaheri, A., Henttonen, H.: Serological survey for viral pathogens in Turkish rodents. *Journal of Wildlife Diseases* **42**(3), 672–676 (2006)

- [65] Laakkonen, J., Kallio-Kokko, H., Vapalahti, O., Vaheiri, A., Vyskocilova, M., Munclingei, P., Macholan, M., Henttonen, H.: The screening of parasites and viral pathogens of small mammals from a farm in southern Finland, and genetic identification of the Finnish house mouse, *Mus musculus*. *Annales Zoologici Fennici* **44**(3), 202–208 (2007)
- [66] Lancelot, R., Ponçon, N., Hendrickx, G., Fontenille, D.: Changements environnementaux et émergences de maladies à transmission vectorielle en Europe: comment améliorer la surveillance et la gestion des risques ? *Bulletin de l'Académie vétérinaire de France* **162**(1), 81–88 (2009)
- [67] Linard, C., Lamarque, P., Heyman, P., Ducoffre, G., Luyasu, V., Tersago, K., Vanwambeke, S.O., Lambin, E.F.: Determinants of the geographic distribution of Puumala virus and Lyme borreliosis infections in Belgium. *International Journal of Health Geographics* **6**, 15 (2007). DOI 10.1186/1476-072X-6-15
- [68] Linard, C., Ponçon, N., Fontenille, D., Lambin, E.: A multi-agent simulation to assess the risk of malaria re-emergence in southern France. *Ecological Modelling* **220**, 160–174 (2009). DOI 10.1016/j.ecolmodel.2008.09.001
- [69] Linard, C., Ponçon, N., Fontenille, D., Lambin, E.: Risk of malaria reemergence in southern France: testing scenarios with a multiagent simulation model. *EcoHealth* **16th May 2009**, 1–13 (2009). DOI 10.1007/s10393-009-0236-y
- [70] Linard, C., Tersago, K., Leirs, H., Lambin, E.F.: Environmental conditions and Puumala virus transmission in Belgium. *International Journal of Health Geographics* **6**(1), 1–15 (2007). DOI 10.1186/1476-072X-6-55
- [71] Martín-Sánchez, J., Morales-Yuste, M., Acedo-Sánchez, C., Barón, S., Díaz, V., Morillas-Márquez, F.: Canine leishmaniasis in southeastern Spain. *Emerging Infectious Diseases* **15**(5), 795–798 (2009). DOI 10.3201/eid1505.080969
- [72] Matser, A., Hartemink, N., Heesterbeek, H., Galvani, A., Davis, S.: Elasticity analysis in epidemiology: an application to tick-borne infections. *Ecology Letters* **12**, 1–8 (2009). DOI 10.1111/j.1461-0248.2009.01378.x
- [73] Morand, S., Guégan, J.F.: How the biodiversity sciences may aid biological tools and ecological engineering to assess the impact of climatic changes. *Revue Scientifique et Technique de l'Office international des Epizooties* **27**(2), 355–366 (2008)
- [74] Olsson, G.E., Hörnfeldt, B., Hjertqvist, M., Lundkvist, A.: Sorkfeberprognos: stor smittrisk i Norrland i vinter. *Läkartidningen* **104**(20), 1–4 (2007)

- [75] Pettersson, L., Klingström, J., Hardestam, J., Lundkvist, A., Ahlm, C., Evander, M.: *Hantavirus* RNA in saliva from patients with hemorrhagic fever with renal syndrome. *Emerging Infectious Diseases* **14**(3), 406–411 (2008)
- [76] Plyusnina, A., Deter, J., Charbonnel, N., Cosson, J.F., Plyusnin, A.: Puumala and Tula hantaviruses in France. *Virus Research* **129**(1), 58 – 63 (2007). DOI 10.1016/j.virusres.2007.04.023
- [77] Plyusnina, A., Laakkonen, J., Niemimaa, J., Nemirov, K., Muruyeva, G., Pothodiev, B., Lundkvist, A., Vaheri, A., Henttonen, H., Vapalahti, O., Plyusnin, A.: Genetic analysis of hantaviruses carried by *Myodes* and *Microtus* rodents in Buryatia. *Virology Journal* **5**, 4 (2008). DOI 10.1186/1743-422X-5-4
- [78] Ponçon, N., Balenghien, T., Toty, C., Ferré, J., Thomas, C., Dervieux, A., L’Ambert, G., Schaffner, F., Bardin, O., Fontenille, D.: Effects of local anthropogenic changes on potential malaria vector *Anopheles hyrcanus* and West Nile virus vector *Culex modestus*, Camargue, France. *Emerging Infectious Diseases* **13**(12), 1810–1815 (2007)
- [79] Ponçon, N., Toty, C., Kengne, P., Alten, B., Fontenille, D.: Molecular evidence for similarity between *Anopheles hyrcanus* (Diptera: Culicidae) and *Anopheles pseudopictus* (Diptera: Culicidae), sympatric potential vectors of malaria in France. *Journal of Medical Entomology* **45**(3), 576–580 (2008). DOI 10.1603/0022-2585(2008)45[576:MEFSBA]2.0.CO;2
- [80] Ponçon, N., Toty, C., L’ambert, G., Le Goff, G., Brengues, C., Schaffner, F., Fontenille, D.: Population dynamics of pest mosquitoes and potential malaria and West Nile virus vectors in relation to climatic factors and human activities in the Camargue, France. *Medical and Veterinary Entomology* **21**(4), 350–357 (2007). DOI 10.1111/j.1365-2915.2007.00701.x
- [81] Ponçon, N., Toty, C., L’Ambert, G., Le Goff, G., Brengues, C., Schaffner, F., Fontenille, D.: Biology and dynamics of potential malaria vectors in southern France. *Malaria Journal* **6**, 18 (2007). DOI 10.1186/1475-2875-6-18
- [82] Ponçon, N., Tran, A., Toty, C., Luty, A., Fontenille, D.: A quantitative risk assessment approach for mosquito-borne diseases: malaria re-emergence in southern France. *Malaria Journal* **7**(1), 147 (2008). DOI 10.1186/1475-2875-7-147
- [83] Randolph, S.E.: Chapter 6. epidemiological consequences of the ecological physiology of ticks. *Advances in Insect Physiology* **37**, 297–339 (2009). DOI 10.1016/S0065-2806(09)37006-X
- [84] Randolph, S.: Dynamics of tick-borne disease systems: minor role of recent climate change. *Revue scientifique et technique de l’Office international des Epizooties* **27**(2), 367–381 (2008)

- [85] Randolph, S., Asokliene, L., Avsic-Zupanc, T., Bormane, A., Burri, C., Gern, L., Golovljova, I., Hubálek, Z., Knap, N., Kondrusik, M., Kupca, A., Pejcoch, M., Vasilenko, V., Zygutiene, M.: Variable spikes in tick-borne encephalitis incidence in 2006 independent of variable tick abundance but related to weather. *Parasites and Vectors* **1**(1), 1–44 (2008). DOI 10.1186/1756-3305-1-44
- [86] Randolph, S.E.: Perspectives on climate change impacts on infectious diseases. *Ecology* **90**(4), 927–931 (2009). DOI 10.1890/08-0506.1
- [87] Randolph, S.E.: Tick-borne disease systems emerge from the shadows: the beauty lies in molecular detail, the message in epidemiology. *Parasitology* **April 2009 (ahead of print)**, 1–11 (2009). DOI 10.1017/S0031182009005782
- [88] Randolph, S.E.: Tick-borne encephalitis incidence in Central and Eastern Europe: consequences of political transition. *Microbes and Infection* **10**(3), 209–216 (2008). DOI 10.1016/j.micinf.2007.12.005
- [89] Randolph, S.E.: Tick-borne encephalitis virus, ticks and humans: short-term and long-term dynamics. *Current Opinion in Infectious Diseases* **21**(5), 462–467 (2008). DOI 10.1097/QCO.0b013e32830ce74b
- [90] Randolph, S.E.: EDEN-Emerging diseases in a changing European environment: Tick-borne diseases. *International Journal of Medical Microbiology* **296**(S1), 84–86 (2006)
- [91] Razzauti, M., Plyusnina, A., Henttonen, H., Plyusnin, A.: Accumulation of point mutations and reassortment of genomic RNA segments are involved in the microevolution of Puumala *Hantavirus* in a bank vole (*Myodes glareolus*) population. *Journal of General Virology* **89**(Pt 7), 1649–1660 (2008). DOI 10.1099/vir.0.2008/001248-0
- [92] Razzauti, M., Plyusnina, A., Sironen, T., Henttonen, H., Plyusnin, A.: Analysis of Puumala *Hantavirus* in a bank vole population in northern Finland: evidence for co-circulation of two genetic lineages and frequent reassortment between strains. *Journal of General Virology* **90**(8), 1923–1931 (2009). DOI 10.1099/vir.0.011304-0
- [93] Ready, P.: Leishmaniasis emergence and climate change. *Revue scientifique et technique de l’Office international des Epizooties* **27**(2), 399–412 (2008)
- [94] Reiter, P.: Climate change and mosquito-borne disease: knowing the horse before hitching the cart. *Revue scientifique et technique de l’Office international des Epizooties* **27**(2), 383–398 (2008)

List of confirmed EDEN publications

- [95] Rizzoli, A., Hauffe, H., Tagliapietra, V., Neteler, M., Rosà, R.: Forest structure and roe deer abundance predict tick-borne encephalitis risk in Italy. *PLoS ONE* **4**(2), e4336 (2009). DOI 10.1371/journal.pone.0004336.
- [96] Rizzoli, A., Neteler, M., Rosà, R., Versini, W., Cristofolini, A., Bregoli, M., Buckley, A., Gould, E.A.: Early detection of tick-borne encephalitis virus spatial distribution and activity in the province of Trento, northern Italy. *Geospatial Health* **2**, 169–176 (2007)
- [97] Roche, B., Guégan, J.F., Bousquet, F.: Multi-agent systems in epidemiology: a first step for computational biology in the study of vector-borne disease transmissions. *BMC Bioinformatics* **435**(1), 1–9 (2008). DOI 10.1186/1471-2105-9-435
- [98] Roche, B., Lebarbenchon, C., Gauthier-Clerc, M., Chang, C.M., Thomas, F., Renaud, F., van der Werf, S., Guégan, J.F.: Water-borne transmission drives avian influenza dynamics in wild birds: The case of the 2005-2006 epidemics in the camargue area. *Infection, Genetics and Evolution* **9**(5), 800 – 805 (2009). DOI 10.1016/j.meegid.2009.04.009
- [99] Rogers, D.J.: Models for vectors and vector-borne diseases. *Advances in Parasitology* **62**, 1–35 (2006). DOI 10.1016/S0065-308X(05)62001-5
- [100] Rogers, D.J., Randolph, S.E.: Climate change and vector-borne diseases. *Advances in Parasitology* **62**, 345–381 (2006). DOI 10.1016/S0065-308X(05)62010-6
- [101] Rogers, D.J., Wilson, A.J., Hay, S.I., Graham, A.J.: The global distribution of yellow fever and dengue. *Advances in Parasitology* **62**, 181–220 (2006). DOI 10.1016/S0065-308X(05)62006-4
- [102] Scharlemann, J.P.W., Benz, D., Hay, S.I., Purse, B.V., Tatem, A.J., Wint, G.R.W., Rogers, D.J.: Global data for ecology and epidemiology: a novel algorithm for temporal Fourier processing MODIS Data. *PLoS ONE* **3**(1), e1408 (2008). DOI 10.1371/journal.pone.0001408
- [103] Scharlemann, J.P.W., Johnson, P.J., Smith, A.A., Macdonald, D.W., Randolph, S.E.: Trends in ixodid tick abundance and distribution in Great Britain. *Medical and Veterinary Entomology* **22**(3), 238–247 (2008). DOI 10.1111/j.1365-2915.2008.00734.x
- [104] Sikutová, S., Hornok, S., Hubálek, Z., Doležálková, I., Juřicová, Z., Rudolf, I.: Serological survey of domestic animals for tick-borne encephalitis and Bhanja viruses in northeastern Hungary. *Veterinary Microbiology* **135**(3-4), 267–271 (2008). DOI 10.1016/j.vetmic.2008.09.082

- [105] Soti, V., Tran, A., Bailly, J.S., Puech, C., Seen, D.L., Bégué, A.: Assessing optical earth observation systems for mapping and monitoring temporary ponds in arid areas. *International Journal of Applied Earth Observation and Geoinformation* **11**, 344–351 (2009). DOI 10.1016/j.jag.2009.05.005
- [106] Stanko, M., Krasnov, B.R., Miklisova, D., Morand, S.: Simple epidemiological model predicts the relationships between prevalence and abundance in ixodid ticks. *Parasitology* **134**(Pt 1), 59–68 (2007). DOI 10.1017/S0031182006001296
- [107] Stoltz, M., Ahlm, C., Lundkvist, A., Klingström, J.: Lambda interferon (IFN-lambda) in serum is decreased in *Hantavirus*-infected patients, and in vitro-established infection is insensitive to treatment with all IFNs and inhibits IFN-gamma-induced nitric oxide production. *Journal of Virology* **81**(16), 8685–8691 (2007). DOI 10.1128/JVI.00415-07
- [108] Sumilo, D., Asokliene, L., Avsic-Zupanc, T., Bormane, A., Vasilenko, V., Lucenko, I., Golovljova, I., Randolph, S.E.: Behavioural responses to perceived risk of tick-borne encephalitis: vaccination and avoidance in the Baltics and Slovenia. *Vaccine* **26**(21), 2580–2588 (2008). DOI 10.1016/j.vaccine.2008.03.029
- [109] Sumilo, D., Asokliene, L., Bormane, A., Vasilenko, V., Golovljova, I., Randolph, S.E.: Climate change cannot explain the upsurge of tick-borne encephalitis in the Baltics. *PLoS ONE* **2**(6), e500 (2007). DOI 10.1371/journal.pone.0000500
- [110] Sumilo, D., Bormane, A., Asokliene, L., Lucenko, I., Vasilenko, V., Randolph, S.: Tick-borne encephalitis in the Baltic States: identifying risk factors in space and time. *International Journal of Medical Microbiology* **296 Suppl 40**, 76–79 (2006). DOI 10.1016/j.ijmm.2005.12.006
- [111] Sumilo, D., Bormane, A., Asokliene, L., Vasilenko, V., Golovljova, I., Avsic-Zupanc, T., Hubálek, Z., Randolph, S.E.: Socio-economic factors in the differential upsurge of tick-borne encephalitis in central and eastern Europe. *Reviews in Medical Virology* **18**(2), 81–95 (2008). DOI 10.1002/rmv.566
- [112] Sumilo, D., Bormane, A., Vasilenko, V., Golovljova, I., Asokliene, L., Zygutiene, M., Randolph, S.: Upsurge of tick-borne encephalitis in the Baltic States at the time of political transition, independent of changes in public health practices. *Clinical Microbiology and Infection* **15**(1), 75–80 (2009). DOI 10.1111/j.1469-0691.2008.02121.x
- [113] Tagliapietra, V., Rosà, R., Hauffe, H.C., Laakkonen, J., Voutilainen, L., Vapalahti, O., Vaheri, A., Henttonen, H., Rizzoli, A.: Spatial and temporal

- dynamics of lymphocytic choriomeningitis virus in wild rodents, northern Italy. *Emerging Infectious Diseases* **15**(7), 1019–1025 (2009)
- [114] Tersago, K., Schreurs, A., Linard, C., Verhagen, R., Dongen, S.V., Leirs, H.: Population, environmental, and community effects on local bank vole (*Myodes glareolus*) Puumala virus infection in an area with low human incidence. *Vector Borne and Zoonotic Diseases* **8**(2), 235–244 (2008). DOI 10.1089/vbz.2007.0160
- [115] Tersago, K., Verhagen, R., Servais, A., Heyman, P., Ducoffre, G., Leirs, H.: *Hantavirus* disease (nephropathia epidemica) in Belgium: effects of tree seed production and climate. *Epidemiology and Infection* **137**, 250–256 (2008). DOI 10.1017/S0950268808000940
- [116] Toledo, A., Olmeda, A.S., Escudero, R., Jado, I., Valcarcel, F., Casado-Nistal, M.A., Rodriguez-Vargas, M., Gil, H., Anda, P.: Tick-borne zoonotic bacteria in ticks collected from Central Spain. *American Journal of Tropical Medicine and Hygiene* **81**(1), 67–74 (2009)
- [117] Tollenaere, C., Bryja, J., Galan, M., Cadet, P., Deter, J., Chaval, Y., Berthier, K., Salvador, A.R., Voutilainen, L., Laakkonen, J., Henttonen, H., Cosson, J.F., Charbonnel, N.: Multiple parasites mediate balancing selection at two MHC class II genes in the fossorial water vole: insights from multivariate analyses and population genetics. *Journal of Evolutionary Biology* **21**(5), 1307–1320 (2008). DOI 10.1111/j.1420-9101.2008.01563.x
- [118] Tran, A., Gaidet, N., L’Ambert, G., Balenghien, T., Balança, G., Chevalier, V., Soti, V., Ivanès, C., Etter, E., Schaffner, F., et al.: On the use of remote sensing for the ecological description of multi-host disease systems: a case study on West Nile Virus in Southern France. *Veterinaria Italiana* **43**, 967–87 (2007)
- [119] Tran, A., Ponçon, N., Toty, C., Linard, C., Guis, H., Ferré, J., Lo Seen, D., Roger, F., de La Rocque, S., Fontenille, D., Baldet, T.: Using remote sensing to map larval and adult populations of *Anopheles hyrcanus* (Diptera: Culicidae) a potential malaria vector in Southern France. *International Journal of Health Geographics* **7**(1), 1–9 (2008). DOI 10.1186/1476-072X-7-9
- [120] Vaheri, A., Vapalahti, O., Plyusnin, A.: How to diagnose hantavirus infections and detect them in rodents and insectivores. *Reviews in Medical Virology* **18**(4), 277–288 (2008). DOI 10.1002/rmv.581
- [121] Vanwambeke, S.O., Sumilo, D., Bormane, A., Lambin, E.F., Randolph, S.E.: Landscape predictors of tick-Borne encephalitis in Latvia: land cover, land use, and land ownership. *Vector Borne and Zoonotic Diseases* **Ahead of print**, 1–10 (2009). DOI 10.1089/vbz.2009.0116

List of confirmed EDEN publications

- [122] Vladimirescu, A.F., Coipan, C.E., Ionescu, L., Bicheru, S., Alexe, A., Nicolescu, G.: Molecular approach for West Nile virus (WNV) detection and strain identification by RT-PCR, nested PCR, and sequencing in Romania. *Romanian Journal of Genetics* **1**(2), 37–45 (2005)

PhD dissertations

- [1] Deffontaine-Deurbroeck, V.: Histoire évolutive du campagnol roussâtre (*Myodes (Clethrionomys) glareolus*) en eurasié. Ph.D. thesis, Université de Liège (2008). URL http://bictel.ulg.ac.be/ETD-db/collection/available/ULgetd-03072008-173617/unrestricted/Deffontaine_these_ULg.PDF
- [2] Deter, J.: Ecologie de la transmission de parasites (virus, nématodes) au sein d'une communauté de rongeurs cycliques. Conséquences pour la santé humaine. Ph.D. thesis, Université des Sciences et Techniques du Languedoc (2007). URL <http://tel.archives-ouvertes.fr/docs/00/26/48/68/PDF/these-Julie-DETER.pdf>
- [3] Hartemink, N.: Vector-borne diseases: the basic reproduction number R_0 and risk maps. Ph.D. thesis, Utrecht University, Faculty of Veterinary Medicine (2009)
- [4] Kallio, E.: Experimental ecology on the interaction between the Puumala *Hantavirus* and its host, the bank vole. Academic dissertation, University of Jyväskylä (2006). URL <http://dissertations.jyu.fi/studbiol/9513925781.pdf>
- [5] Linard, C.: Spatial and integrated modelling of the transmission of vector-borne and zoonotic infections. Ph.D. thesis, Université catholique de Louvain (2009). URL <http://edoc.bib.ucl.ac.be:81/ETD-db/collection/available/BelnUcetd-01202009-133839/unrestricted/Thesis-CatherineLinard.pdf>
- [6] Neteler, M.: Spatio-temporal reconstruction of satellite-based temperature maps and their application to the prediction of tick and mosquito disease vector distribution in Northern Italy (abstract). Ph.D. thesis, Leibniz University (2009)
- [7] Ponçon, N.: Etude des risques de ré-émergence du paludisme en Camargue. Ph.D. thesis, Université des Sciences et Techniques du Languedoc (2008). URL http://www.mpl.ird.fr/ur016/file/Poncon_these.pdf
- [8] Roche, B.: Complexité des écosystèmes, dynamique de la diversité biologique et maladies infectieuses. Une introduction à l'“épidémiologie des communautés”. Ph.D. thesis, Université des Sciences et Techniques du Languedoc (2008). URL <http://gemi.mpl.ird.fr/dysmi/ftp/phd.pdf>
- [9] Sousa, C.A.G.C.D.C.: Malaria vectorial capacity and competence of *Anopheles atroparvus* Van Thiel, 1927 (Diptera, Culicidae): Implications for the potential re-emergence of malaria in Portugal. Ph.D. thesis, Universidade Nova de Lisboa, Instituto de Higiene e Medicina Tropical (2008)

Books and book chapters

- [1] Alten, B., Kampen, H., Fontenille, D.: Malaria in Southern Europe: resurgence from the past? In: W. Takken, B. Knols (eds.) Emerging pests and vector-borne diseases in Europe, pp. 35–58. Wageningen Academic Publishers, Wageningen, The Netherlands (2007)
- [2] Lancelot, R., de La Rocque, S., Chevalier, V.: Bluetongue and Rift Valley fever in livestock: a climate change perspective with a special reference to Europe, the Middle East and Africa. In: P. Rowlinson, M. Steele, A. Nefzaoui (eds.) Proceedings of the international conference on livestock and global climate change 2008, pp. 87–89. Cambridge University Press, Hammamet (Tunisia) (2008)
- [3] Randolph, S.E., Sumilo, D.: Tick-borne encephalitis in Europe: dynamics of changing risk. In: W. Takken, B.G.J. Knols (eds.) Emerging pests and vector-borne diseases in Europe, pp. 187–206. Wageningen Academic Publishers, Wageningen, The Netherlands (2007)